according to Regulation (EC) No. 1907/2006 (REACH)

Article no.: 21215 AZOCOL Z 1

Date of print: 24.11.2012 Revision date: 21.11.2012 Seite: 1 / 5



1. Identification of the substance/ preparation and of the company/ undertaking

Article no. (manufacturer / supplier): 21215
Identification of the substance or preparation: AZOCOL Z 1

Use of the substance/ preparation:Stencil production for screen and textile printing

Supplier (manufacturer/importer/downstream user/distributor):

KISSEL + WOLF GmbH

 In den Ziegelwiesen 6
 Telephone:
 49 6222 578-0

 69168 Wiesloch
 Telefax:
 49 6222 578-100

Dept. responsible for information:

EHS E-mail: ehs@kiwo.de

Environment-Health-Safety

Emergency +49 6222 578 219

telephone:

2. Hazards identification

Hazard designation:



Xi Irritant

Information pertaining to special dangers for human and environment

43 May cause sensitization by skin contact.

3. Composition/Information on ingredients

chemical characterization (preparation)

Description: Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients:

EC No: CAS No.:	Identification of the hazard: La R phrases:	belling (67/548/EEC or 1999/45/b Remark:	EC) % by weight
500-130-2 55818-57-0	4,4'-Isopropylidenediphenol, oligomeric reaction pro 1-chloro-2,3-epoxypropane, esters with acrylic acid 43-53	ducts wi th Xi	10 - 12,5
	urethanacrylate oligomer 36/38	Xi	5 - 10
500-114-5 52408-84-1	glycerol, propoxylated, esters with acrylic acid 36-43	Xi	2,5 - 5

Additional information

Full text of R-phrases: see section 16.

4. First-aid measures

General information:

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in unconscious position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

In case of eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion:

Consult physician immediately.

Do not induce vomiting.

according to Regulation (EC) No. 1907/2006 (REACH)

Article no.: 21215 AZOCOL Z 1





5. Firefighting measures

Suitable extinguishing media:

Carbon dioxide (CO2). Water mist Foam.

Extinguishing media which must not be used for safety reasons:

Strong water jet.

Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Gases/vapours, toxic.

Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information:

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

Personal precautions

Ventilate affected area. Remove persons to safety. Do not breathe vapours. See protective measures under point 7 and 8.

Environmental measures

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

methods for cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

7. Handling and storage

Handling

Advices on safe handling

Avoid contact with skin and eyes. Do not inhale vapours or mist.

Do no eat, drink or smoke when using this product.

Personal protection equipment: refer to chapter 8.

Storage

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storerooms and containers:

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further remarks:

VCI-storage class, see Chapter 15

8. Exposure controls / Personal protection

Compo	onents with occu	pational exposure	e limits rsp. bid	ological occur	pational expo	osure limits rea	uiring monitoring:

EC No:	Description:
CAS No.:	

Personal protection equipment

Respiratory protection:

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection

according to Regulation (EC) No. 1907/2006 (REACH)

Article no.: 21215 AZOCOL Z 1





must be used.

Hand protection:

Chemical resistant protective gloves: DIN EN 374

Recommendation for contact by spatter: Protection Index 2 Permeation time >30 min., e.g. butyl rubber 0,4 mm Recommendation for direct contact: Protection Index 6 Permeation time >480 min., e.g. nitrile rubber 0,4 mm

Eye protection:

Tightly sealed safety glasses. DIN EN 166

Body protection:

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures:

After contact clean skin thoroughly with water and soap oder use appropriate cleanser.

Environmental exposure controls

This solvent is to be sent to recycling or to disposal after use. Incorrect disposal endangers the environment. After use, all mixtures with other foreign substances or solvents of other types is forbidden.

9. Physical and chemical properties

Appearance:

Physical state: liquid

Colour depending on coloration

Odour: typical

Safety relevant basis data Method Remark:

Flash point: n.a. °C DIN 53213

 Vapour pressure:
 13,76 mbar (20°C)

 Density:
 1,06 g/cm³ (20°C)

 Boiling temperature / boiling range:
 100 °C (101,3 kPa)

Water solubility (g/l):very soluble.pH:3,70 (20°C)Viscosity:7000 mPa·s

10. Stability and reactivity

Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

Materials to avoid

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

11. Toxicological information

Practical experience

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties:

The components in this formulation do not meet the criteria for classification as CMR category 1 or 2.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

according to Regulation (EC) No. 1907/2006 (REACH)

Article no.: 21215 AZOCOL Z 1

Date of print: 24.11.2012 Revision date: 21.11.2012 Seite: 4 / 5



12. Ecological information

Overall evaluation:

Do not allow to enter into surface water or drains. Do not store at public landfills.

Results of PBT assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

13. Disposal considerations

Appropriate disposal / Product

Recommendation:

Control report for waste code/ waste marking according to EAKV:

080111 waste paint and varnish containing organic solvents orother dangerous substances

Contaminated packaging:

Recommendation: Cleaned containers may be recycled. Vessels not properly emptied are special waste.

14. Transport information

Transport according to ADR/RID, IMDG and ICAO/IATA.

Land transport (ADR/RID)

Class: not a dangerous good

Hazard label: n.a. UN-No.: n.a. Hazard identification number (Kemler No.) n.a.

Proper Shipping Name

Packing Group: n.a.
Tunnel restriction code: -

Sea transport (IMDG)

Class: n.a. Hazard label: n.a. IMDG-CODE-Class: n.a. UN-No.: n.a.

Proper Shipping Name

Packing Group: n.a. Marine pollutant: n.a.

Air transport (ICAO-TI / IATA-DGR)

Class: n.a. Hazard label: n.a. UN-No.: n.a. Packing Group: n.a.

15. Regulatory information

Observe in addition any national regulations!

Informations on working limitations: Observe employment restrictions under the Maternity Protection

Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the

'juvenile work protection guideline' (94/33/EC).

Storage class:

(VCI-concept for storage of chemicals in one common storage facility)

Class: I: 0 % II: 0 % III: 0 %

VbF classification: n.a.

according to Regulation (EC) No. 1907/2006 (REACH)

Article no.: 21215 AZOCOL Z 1

Date of print: 24.11.2012 Revision date: 21.11.2012 Seite: 5 / 5



Labelling (67/548/EEC or 1999/45/EC)

Hazard symbol(s) and hazard identifier(s) for dangerous materials and preparations:



Xi Irritant

Contains:

4,4'-lsopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid glycerol, propoxylated, esters with acrylic acid

R phrases:

43 May cause sensitization by skin contact.

Safety precautions:

Avoid contact with skin.
Wear suitable gloves.

Special provisions concerning the labelling of certain mixtures

n.a.

Other regulations (EU):

VOC

VOC-value (in g/l): 3,015

16. Other information

Wording of the r-phrases under paragraph 3:

43 May cause sensitization by skin contact.

May cause long-term adverse effects in the aquatic environment.

36/38 Irritating to eyes and skin.

36 Irritating to eyes.

Further remarks:

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.